

# Safety Data Sheet

## Product Identifier

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Liquid Rubber Color Sealant
<b>Other Means of Identification</b>	A-205
<b>Recommended Use</b>	Single component protective coating
<b>Restrictions on Use</b>	None known
<b>Initial Supplier Identifier</b>	Liquid Rubber Canada Inc. #16-1150 Eighth Line, Oakville, ON L6H 2R4, CANADA
<b>Emergency Telephone</b>	<b>1-855-451-5820 – 24 hrs a day</b>

#### In Canada

In an emergency call	911
Alberta / Northwestern Territories (PADIS):	1-800-332-1414
British Columbia (DPIC):	1-800-567-8911
Manitoba:	1-855-7POISON (1-855-776-4766)
New Brunswick:	911
Nova Scotia / Prince Edward Island (IWK):	1-800-565-8161
Ontario (OPC):	1-800-268-9017
Québec (CAPQ):	1-800-463-5060
Saskatchewan (PADIS):	1-866-454-1212
Yukon Territory:	(867) 393-8700

See also section 4 "First aid measures".

CANUTEC 1-888-CAN-UTEC (226-8832), 613-996-6666 or \*666 on a cellular phone

#### In The USA

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (triage.webpoisoncontrol.org) to get specific guidance for your case See also section 4 "First aid measures".

### SECTION 2. HAZARD IDENTIFICATION

**Not classified in Canada according to WHMIS 2022**  
**Not classified in the USA according to HCS (29 CFR 1910.1200)**

#### Label elements

Hazard pictogram(s)	Not applicable.
Signal word	Not applicable.
Hazard statement(s)	Not applicable.

#### Precautionary statement(s)

General	Not applicable.
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Hazardous substances	None known.
Additional labelling	Not applicable.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration (%w/w)	Classification	Note
ethanediol; ethylene glycol	107-21-1	<1%	Acute Tox. 4, H302 STOT RE 2, H373	n/a
4-Nonylphenol, branched, ethoxylated	127087-87-0	<0.25%	Skin Irrit. 2, H315 Eye Dam. 1, H318	19
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one; 1,2-benzisothiazolin-3-one	2634-33-5	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318	n/a

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information [19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

### SECTION 4. FIRST-AID MEASURES

#### General information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

In case of discomfort: bring the person into fresh air.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

Rinse gently with lukewarm water. Remove any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.

#### Ingestion

Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.

#### Burns

Not applicable.

#### Most important symptoms and effects, both acute and delayed

None known.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Not applicable.

### Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### Advice for firefighters

No specific requirements.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

### Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

### Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

### Conditions for safe storage, including any incompatibilities

#### Recommended storage material

Keep only in original packaging.

#### Storage conditions

10-30°C

50-86°F

Dry, cool and well ventilated

#### Incompatible materials

Strong acids

Strong bases

Strong oxidizing agents

Specific end use(s) This product should only be used for applications quoted in section 1.2.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters In Canada ALBERTA

Limestone

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 10

Annotations:

3 = Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.

ethanediol; ethylene glycol

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): (c) 100

Annotations:

3 = Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.

Occupational Health and Safety Code 2009 Order, Alta Reg 87/2009 (revised in 2018)

---

### BRITISH COLUMBIA

Limestone

Time-Weighted Average Limit (TWA): 10 mg/m<sup>3</sup>

Short-Term Exposure Limit (STEL) / Ceiling Limit (C): 20 mg/m<sup>3</sup>

Annotations:

N = The 8-hour TWA is for the total dust. The substance also has an 8-hour TWA of 3 mg/m<sup>3</sup> for the respirable fraction. ethanediol; ethylene glycol

Time-Weighted Average Limit (TWA): 10 mg/m<sup>3</sup> (partic.)

Short-Term Exposure Limit (STEL) / Ceiling Limit (C): 20 mg/m<sup>3</sup> (partic.) ; C 100 mg/m<sup>3</sup> (aerosol / aérosol) ; C 50 mg/m<sup>3</sup> (vapour / vapeur)

OHS Regulation Part 5: Chemical Agents and Biological Agents.

---

### ONTARIO

ethanediol; ethylene glycol

Short-Term Exposure Limit (STEL) / Ceiling Limit (C): C 100 mg/m<sup>3</sup> (Aerosol only)

Regulation 833 (Control of Exposure to Biological or Chemical Agents) and Ontario Regulation 490/09 (Designated Substances)

---

### QUEBEC

Limestone

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 10

Annotations: Td = Total dust.

Note 1= The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1%.

ethanediol; ethylene glycol

Annotations: RP = A substance which may not be recirculated in accordance with section 108.

Regulation respecting occupational health and safety (Chapter S-2.1, r. 13)

---

### SASKATCHEWAN

Limestone

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 10

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 20

ethanediol; ethylene glycol

STEV/Ceiling (mg/m<sup>3</sup>): 100

The Occupational Health and Safety Regulations, 2020, Chapter S15.1 Reg 10.

## Control parameters In the USA

### Limestone

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 15 (total dust) / 5 (Respirable fraction)

Long term exposure limit (NIOSH REL) (mg/m<sup>3</sup>): 10 (Total dust), 5 (Respirable fraction)

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

### Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures

Wash hands after use.

### Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment

#### Generally

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

#### Respiratory Equipment.

Type	Class	Color	Standards
Respiratory protection is not needed in the event of adequate ventilation.			

#### Skin Protection

Recommended	Type/Category	Standards
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	N/A	N/A



#### Hand Protection

Material	Glove thickness(mm)	Breakthrough time	Standards
Nitrile	0.56	>240 mins	EN374-2, EN374-3 EN388



### Eye Protection

Type	Standards
Safety glasses with side shields	EN ISO 16321-1
Safety glasses with side shields	EN166
Face shield	EN ISO 16321-1
Face shield	EN166



## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	Liquid
Colour	Various colours
Odour	Mild
Odour threshold (ppm)	No data available
pH	8.5 - 9.5
Density (g/cm <sup>3</sup> )	No data available
Relative density	No data available
Kinematic viscosity	12000-20000 poise cm <sup>3</sup> /g
Particle characteristics	No data available
Phase changes	
Melting point (°C)	No data available
Softening point/range (°F)	Does not apply to liquids.
Boiling point (°C)	100
Vapour pressure	17 mmHg (20 °C)
Relative vapour density	1
Decomposition temperature (°C)	No data available
Data on fire and explosion hazards	
Flash point (°C)	No data available
Flammability (°C)	No data available
Auto-ignition temperature (°C)	No data available
Explosion limits (% v/v)	Not applicable
Solubility	
Solubility in water	Soluble
n-octanol/water coefficient (LogKow)	No relevant or available data due to the nature of the product.
Solubility in fat (g/L)	No relevant or available data due to the nature of the product.
Other information	
Sensitivity to shock	No
Evaporation rate (n-butylacetate = 100)	Water

Other physical and chemical parameters  
Oxidizing properties

No data available.  
No data available

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### Possibility of hazardous reactions

None known.

### Conditions to avoid

Extremes of temperature  
Frost

### Incompatible materials

Strong acids  
Strong bases  
Strong oxidizing agents

### Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Acute toxicity

Product/substance:	Liquid Rubber Color Sealant
Other information:	There is no data available.

#### Skin corrosion/irritation

Product/substance	Liquid Rubber Color Sealant
Other information:	There is no data available.

#### Serious eye damage/irritation

Product/substance	Liquid Rubber Color Sealant
Other information:	There is no data available.

#### Respiratory sensitization

Product/substance	Liquid Rubber Color Sealant
Other information:	There is no data available.

#### Skin sensitization

Product/substance	Liquid Rubber Color Sealant
Other information:	There is no data available.

#### Germ cell mutagenicity

Product/substance	Liquid Rubber Color Sealant
Other information:	There is no data available.

**Carcinogenicity**

Product/substance  
Other information:

Liquid Rubber Color Sealant  
There is no data available.

**Reproductive toxicity**

Product/substance  
Other information:

Liquid Rubber Color Sealant  
There is no data available.

**STOT-single exposure**

Product/substance  
Other information:

Liquid Rubber Color Sealant  
There is no data available.

**STOT-repeated exposure**

Product/substance  
Other information:

Liquid Rubber Color Sealant  
There is no data available.

**Aspiration hazard**

Product/substance  
Other information:

Liquid Rubber Color Sealant  
There is no data available.

**Long term effects**

None known.

**Other information**

None known.

**SECTION 12. ECOLOGICAL INFORMATION****Toxicity**

Product/substance  
Other information:

Liquid Rubber Color Sealant  
There is no data available.

**Persistence and degradability**

Product/substance  
Conclusion:  
Other information:

Liquid Rubber Color Sealant  
-  
There is no data available.

**Bioaccumulative potential**

Product/substance  
Conclusion:  
Other information:

Liquid Rubber Color Sealant  
-  
There is no data available.

**Mobility in soil**

No data available.

**Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**Other adverse effects**

None known.



## SECTION 13. DISPOSAL CONSIDERATIONS

### In Canada

#### Waste treatment methods

None of the components are listed

#### Specific labelling

##### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### In the USA

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261) None of the components are listed

#### Specific labelling

##### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14. TRANSPORT INFORMATION

### In Canada

	UN / ID	UN proper shipping name	Hazard class(es)	PG*	Env**
TDG	-	This product is not regulated		-	No
IMDG	-	This product is not regulated		-	No
IATA	-	This product is not regulated		-	No

\* Packing group

\*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

TDG / See Schedule 1 for any information on special provisions, requirements, or warnings in connection with transport. See part 3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

#### Special precautions for user

Not applicable.

#### Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

## In the USA

	UN / ID	UN proper shipping name	Hazard class(es)	PG*	Env**
DOT	-	This product is not regulated		-	No
IMDG	-	This product is not regulated		-	No
IATA	-	This product is not regulated		-	No

\* Packing group

\*\* Environmental hazards

### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

DOT / See § 172.101 Hazardous Materials Table for any information on special provisions, requirements, or warnings in connection with transport. See § 172.602, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

### Special precautions for user

Not applicable.

### Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

## SECTION 15. REGULATORY INFORMATION

## In Canada

### Safety, health and environmental regulations/legislation specific for the substance or mixture Canadian lists

#### NDSL

Liquid Rubber Color Sealant is listed

#### DSL

Liquid Rubber Color Sealant is listed

### Restrictions for application

No special.

### Demands for specific education

No specific requirements.

### Additional information

Not applicable.

**Chemical safety assessment**

No

**Sources**

Hazardous Products Regulations (SOR/2022-272)

**In the USA**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**U.S. Federal regulations**

**TSCA (the non-confidential portion)**

Limestone is listed

ethanediol; ethylene glycol is listed

4-Nonylphenol, branched, ethoxylated is listed

2,2' -oxybisethanol; diethylene glycol is listed 1

,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one;1,2-benzisothiazolin-3-one is listed

**Clean Air Act**

ethanediol; ethylene glycol is regulated as a hazardous air pollutant (HAPS)

**EPCRA Section 302**

None of the components are listed

**EPCRA Section 304**

None of the components are listed

**EPCRA section 313**

ethanediol; ethylene glycol is listed

4-Nonylphenol, branched, ethoxylated is listed

**CERCLA**

ethanediol; ethylene glycol is regulated with a Reportable Quantity (RQ) of: 5000 pounds

**Hazardous chemical inventory reporting**

This product is not subject to Tier II reporting.

**State regulations**

**California / Prop. 65**

ethanediol; ethylene glycol is known to cause: Developmental Toxicity NSRL/MADL (µg/day): 8700 (oral)

—

**Massachusetts / Right To Know Act**

Limestone is listed

ethanediol; ethylene glycol is listed

**New Jersey / Right To Know Act**

Limestone / Substance number: 4001

—

ethanediol; ethylene glycol / Substance number: 0878

—

**New York / Right To Know Act**

ethanediol; ethylene glycol is listed

ethanediol; ethylene glycol is regulated with a Reportable Quantity (RQ) of: 1 pounds

ethanediol; ethylene glycol is regulated with a Threshold Reporting Quantity (TRQ) of: 0 pounds

—

**Pennsylvania / Right To Know Act**

Limestone is listed

—  
ethanediol; ethylene glycol is listed  
ethanediol; ethylene glycol is hazardous to the environment (E)

—  
2,2' -oxybisethanol; diethylene glycol is listed  
—

#### **Restrictions for application**

No special.

#### **Demands for specific education**

No specific requirements.

#### **Additional information**

Not applicable.

#### **Chemical safety assessment**

No

#### **Sources**

OSHA Hazard Communication Standard (29 CFR 1910.1200)

### **SECTION 16. OTHER INFORMATION**

#### **Full text of H-phrases as mentioned in section 3**

H302, Harmful if swallowed.  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H318, Causes serious eye damage.  
H373, May cause damage to organs through prolonged or repeated exposure.

#### **The full text of identified uses as mentioned in section 1**

None known.

#### **In Canada**

Abbreviations and acronyms

ANSI = American National Standards Institute

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

DSL = Domestic Substances List

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HHNOC = Health Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NDSL = Non-domestic substances list

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PHNOC = Physical Hazards Not Otherwise Classified

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL = A specific concentration limit.  
SOR = Statutory Orders and Regulations  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TDG = Transportation of Dangerous Goods  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound v  
PvB = Very Persistent and Very Bioaccumulative  
WHIMS = Workplace Hazardous Materials Information System

#### **Additional information**

Not applicable.

#### **In the USA**

Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists  
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CERCLA = Comprehensive Environmental Response Compensation and Liability Act  
DOT = Department of Transportation  
EINECS = European Inventory of Existing Commercial chemical Substances  
EPCRA = Emergency Planning and Community Right-To-Know Act  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HCIS = Hazardous Chemical Information System  
HNOC = Hazards Not Otherwise Classified  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NFPA = National Fire Protection Association  
NIOSH = National Institute for Occupational Safety and Health  
OECD = Organisation for Economic Co-operation and Development  
OSHA = Occupational Safety and Health Administration  
PBT = Persistent, Bioaccumulative and Toxic  
RCRA = Resource Conservation and Recovery Act  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SARA = Superfund Amendments and Reauthorization Act  
SCL = A specific concentration limit.  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TSCA = The Toxic Substances Control Act  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

**Additional information**

Not applicable.

Date of latest revision – April 28 , 2025

Liquid Rubber believes the information contained herein is accurate; however, Liquid Rubber makes no guarantees with respect to such accuracy and assumes no liability in connection with the use of the information contained herein which is not intended to be and should not be construed as legal advice or as insuring compliance with any federal, state, or local laws or regulations. Any party using this product should review all such laws, rules, or regulations prior to use, including but not limited to US and Canada Federal, Provincial and State regulations.

NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHERWISE.