# Safety Data Sheet Product Identifier

# **SECTION 1. IDENTIFICATION**

Product Identifier Liquid Rubber Concrete Etch (granular base)

Other Means of Identification Sodium Bisulphate Anhydrous

Recommended Use This material is intended to be used as a preparation product for concrete coating.

Restrictions on Use None known

Initial Supplier Identifier Liquid Rubber Canada Inc.

#16-1150 Eighth Line, Unit 16, Oakville, Ontario L6H 2R4, CANADA

Emergency Telephone 1-855-451-5820 – 24 hrs a day

CANUTEC 1-888-CAN-UTEC (226-8832), 613-996-6666 or \*666 on a cellular **phone** 

### **SECTION 2. HAZARD IDENTIFICATION**

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200)

**Classification** : SERIOUS EYE DAMAGE/EYE IRRITATION – Category 1

**GHS Label Elements** 

Hazard pictograms

Signal word

**Hazard statements** : H318 – Causes serious eye damage

: Danger

**Precautionary Statements** 

**Prevention**: P280 – Wear eye protection

: P264 - Wash hands thoroughly after handling

**Response**: P305 + P351 + P338 + P310 – IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing and immediately call a POISON CENTER or

physician.

Storage : Not applicable Disposal : Not applicable

Hazards not otherwise classified - None

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration	Common Name / Synonyms	Other
		(%w/w)		Identifiers
Sodium Bisulphate	7681-38-1	60-100%	N/A	N/A
(Granular)			•	

#### **SECTION 4. FIRST-AID MEASURES**

# First aid procedures

**Eye contact** Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.

**Skin contact** Brush away excess of dry material. Immediately flush with cool water for 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing well before reuse or discard.

**Inhalation** If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

**Ingestion** Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.

**Notes to physician** Treat patient symptomatically.

**General advice** If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

**Flammable properties** Not flammable by WHMIS criteria.

Suitable extinguishing

Media

Unsuitable extinguishing

media

Treat for surrounding material.

Not available

**Protection of firefighters** 

Specific hazards arising

from the chemical

Firefighters should wear a self-contained breathing apparatus.

**Protective equipment for firefighters** Firefighters should wear full protective clothing including self contained

breathing apparatus.

**Hazardous combustion products** May include and are not limited to: Oxides of sulphur.

**Explosion data** 

**Sensitivity to mechanical impact** Not available.

**Sensitivity to static discharge** Not available.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** Keep unnecessary personnel away. Do not touch or walk-through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** Do not discharge into lakes, streams, ponds, or public waters.

**Methods for containment** Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements, or confined areas.

**Methods for cleaning up** Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

### **SECTION 7. HANDLING AND STORAGE**

> Do not get in eyes, on skin or on clothing. Avoid breathing dusts from this material. Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for Safe Storage Keep out of the reach of children.

Keep containers tightly closed in a dry, cool and well-ventilated place.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Appropriate Engineering Controls** 

Individual Protection Measures Use only with adequate ventilation. Good general ventilation should be

sufficient to control airborne levels. If user operations generate dust,

fumes, or mist use ventilation to minimize exposure.

Eye/Face Protection Chemical splash goggles complying with an approved standard should

be worn to avoid exposure to liquid splashes, mists, dusts, or gases.

Skin Protection Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical

products.

Respiratory Protection A properly fitted respirator that complies with an approved standard

and is specified for protection against paint spray mist and organic vapours should be used when working in restricted or confined areas.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Dry crystalline solid spherical shape beads

Odour Fresh to pungent

Color Off-white Odour Threshold n/a

pH <1 [Conc. (% w/w): 5%]

Melting Point and Freezing Point

Initial Boiling Point and Boiling Range
Flash Point

Evaporation Rate
Flammability (solid, gas)

Upper and Lower Flammability or Explosive Limit

Vapour Pressure

177°C (350.6°F)

Not Applicable

Not Applicable

Not Applicable

Not Applicable

Vapour Pressure

Vapour Density (air = 1)

Not Applicable
Not Applicable

Relative Density (water = 1) 1.28

Solubility in Water Completely Soluble Solubility in Other Liquids Not Available Partition Coefficient, n-Octanol / Water (Log Kow) Not Available

Auto-ignition Temperature n/a, non-flammable
Decomposition Temperature n/a, non-flammable
Viscosity Not Applicable

Molecular weight 120

### **SECTION 10. STABILITY AND REACTIVITY**

Reacts with water to form sulphuric acid. Reacts vigorously with alkaline material.

This product may react with reducing agents.

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous

Reactions:

Hazardous polymerisation does not occur.

Conditions to Avoid: Do not mix with other chemicals.

Incompatible Materials: Caustics. Reducing Agents.

**Hazardous Decomposition** 

Products:

May include and are not limited to: Oxides of sulphur.

Hazardous polymerization: Will not occur.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute Toxicity**

## **Product Information**

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

**Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Mist LC50** Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid, sodium salt (1:1)	LD50 = 2490 mg/kg ( Rat )	>2000 mg/kg (rabbit)	Not listed

# **Toxicologically Synergistic Products**

No information available

# Delayed and immediate effects as well as chronic effects from short and long-term exposure Irritation

Risk of serious damage to eyes

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sulfuric acid,	7681-38-1	Not listed				
sodium salt (1:1)						

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** None known **STOT - repeated exposure** None known

**Aspiration hazard** No information available

Symptoms / effects, both acute and delayed

No information available

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# SECTION 12. ECOLOGICAL INFORMATION (section heading must appear; all content is optional)

### **Ecotoxicity**

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sulfuric acid, sodium	Not listed	Not listed	EC10 > 1000  mg/l	EC50: = 190  mg/L,
salt (1:1)			(Pseudomonas	48h
			putida) (16h)	(Daphnia magna)

Persistence and Degradability

Soluble in water Persistence is unlikely based on information.

# Bioaccumulation/ Accumulation Mobility

No information available.

Will likely be mobile in the environment due to its water solubility. \\

### SECTION 13. DISPOSAL CONSIDERATIONS (section heading must appear; all content is optional

Disposal Methods: In the event of a spill: Dike and contain, transfer to containers for recovery or disposal.

Keep out of sewers.

Waste disposal: Follow federal, provincial and local regulations regarding disposal.

#### SECTION 14. TRANSPORT INFORMATION (section heading must appear; all content is optional)

Regulation	UN No.	Proper Shipping Name	Technical Name (for N.O.S. entry)	Transport Hazard Class(es)	Packing Group
Not regulated	n/a				

Special Precautions: Not classified as dangerous in the meaning of transport regulations.

Environmental Hazards: n/a

Transport in Bulk According to Annex II Not regulated

of MARPOL 73/78 and the IBC Code:

# SECTION 15. REGULATORY INFORMATION (section heading must appear; all content is optional)

### **International Inventories**

Component	CAS-No	DSL	NDSL		TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Sulfuric acid, sodium salt (1:1)	7681-38-1	X	-	X	ACTIVE	231-665- 7	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Sulfuric acid, sodium salt	7681-38-1	X	KE-	X	X		X	X	X
(1:1)			31481						

# Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

# Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	, , ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sulfuric acid, sodium salt (1:1)	-	Use restricted. See item 75. (see link for restriction details)	-

Other International Regulations Authorisation/Restrictions according to EU REACH <a href="https://echa.europa.eu/substances-restricted-under-reach">https://echa.europa.eu/substances-restricted-under-reach</a>

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Sulfuric acid, sodium salt (1:1)	7681-38-1	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Sulfuric acid, sodium salt (1:1)	7681-38-1	Not applicable	Not applicable	Not applicable	Not applicable

# **SECTION 16. OTHER INFORMATION**

Date of Latest Revision June 14, 2024

Liquid Rubber Canada Inc. believes the information contained herein is accurate; however, Liquid Rubber Canada Inc. makes no guarantees with respect to such accuracy and assumes no liability in connection with the use of the information contained herein which is not intended to be and should not be construed as legal advice or as insuring compliance with any federal, state, or local laws or regulations. Any party using this product should review all such laws, rules, or regulations prior to use, including but not limited to US and Canada Federal, Provincial and State regulations.

NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAL PURPOSE, OR OTHERWISE.